




E9 with Sentry Xpress

Category: Kilns (<https://shop.paragonweb.com/product-category/kilns/>)

Home (<https://shop.paragonweb.com>) / Kilns

(<https://shop.paragonweb.com/product-category/kilns/>) / E9 with Sentry Xpress



(<https://shop.paragonweb.com/product/eg-with-sentry-xpress/>)

Width: 8.5"

Depth: 4.5"

Height: 9"

\$1,181.36

1

Add to cart



SKU: 09211J1BTA

Shipping Weight: 24.95 kg

Product Information

Description

Additional information

Reviews (0)

Description

The Eg with Sentry Xpress 3-Key Controller is a Steel Chassis Kiln with Insulating FireBrick and a groove mounted element. It measures 8.5"W x 4.5"H x 9"D inside. The Eg is rated to 2000° F. It fires on 120 Volts and needs no other heating source. Rated to 1300 Watts.

Specifications

GSS Part Number:

09211J1BTA

Max Temp:

2000° F

1093° C

Voltage:

120

Phase:

1

Hertz:

50/60

Watts:

1300

Cordset:

NEMA 5-15P

Controller:

Sentry Xpress 3-Key Controller

Zone:

1



Thermocouple:

K-Type

Lid Door Switch:

NO

TUV:

YES

CE:

YES

Kiln Type:

Front Load

Door Type:

Swing with Latch

Sides:

4

Chamber Dimensions:

Internal Area (Square Inches):

311 sq in

Watts per Square Inch:

Refractory Insulation Type:

Insulating FireBrick (IFB)

Wall Thickness (Inches):

2.5"

Top Thickness (Inches):

2.5"

Bottom Thickness (Inches):

2.5"

Door Thickness (Inches):

Volume:

0.19 sq ft

5.38 l

Width Diameter:

8.5"

216mm

Depth:

4.5"

114mm

Height:



9"

229mm

Outer Size:

14"W x 16.25"H x 18"D

356mm W x 413mm H x 457mm D

Ship Size:

22"W x 17"H x 21"D

559mm W x 483mm H x 432mm D

Doorway Clearance:

20"

508mm

Ship Method:

UPS / FedEx

Other Specifications

SBA Part Number:

Relay Type:

Elements

Element 1 PN: EL09211J1BTAS

Resistance (Ohms):

Location: Walls

Qty: 1

Product Notes

Mechanical

Delivery information

Please read the freight tips below to ensure that the delivery of your Paragon kiln is as smooth

